

NS Geriatric Centre
(A Unit of Kollam District Cooperative Hospital Society Ltd No. Q952)

Name of Work: Teak wood door work

SI No.	Description	QTY	Rate	Total
1	<p>Providing and fixing Good quality Teak wood doors in size 110cm x 220 cm in single leaf with the following specification.</p> <p>Teak wood door frame: Door frame of size 11.5 cm x 6.40cm, planed, framed and fixed in position with minimum 9 nos Hilti door frame anchor HRD- C 10x120.</p> <p>Teak wood shutter : Shutter frames of size 15cm x 32 mm, Central rail fo size 15cm x 32 mm and 20 mm thick teak wooden planks for panels and finishing neatly as per design. 5 nos of 125x75x3mm stainless steel 304 Hinges (Godrej/Dorma) with necessary size ss screws , required SS screws, 2 nos 200 mm SS Tower bolts of size 12 mm dia with necessary size ss screws, peephole, good quality door bush and door stoper etc. Including Melamine polish work with lacquer finishing all cost of materials and labour chrges including the cost of fixing Mortise lock and all accessories.</p> <p>Melamine polish work: Melamine polishing on wood work with two coats after preparing base rubbing and cleaning emery paper, filling holes and finishing the surface with sealer and melamine sealer two coats including all cost and labour charges etc. all complete as per the directions of Engineer-in-charge. Works such as filling holes, finishing the surface with sealer and polishing works should be done on site.</p>	86		
2	<p>Providing and fixing Good quality Teak wood doors in size 100cm x 220 cm in single leaf with the following specification.</p> <p>Teak wood door frame: Door frame of size 10.20 cm x 6.40cm, planed, framed and fixed in position with minimum 9 nos Hilti door frame anchor HRD- C 10x120.</p> <p>Teak wood shutter : Shutter frames of size 15cm x 32 mm, Central rail fo size 15cm x 32 mm and 20 mm thick teak wooden planks for panels and finishing neatly as per design. 5 nos of 125x75x3mm stainless steel 304 Hinges (Godrej/Dorma) with necessary size ss screws , required SS screws, 2 nos 200 mm SS Tower bolts of size 12 mm dia with necessary size ss screws, peephole, good quality door bush and door stoper etc. Including Melamine polish work with lacquer finishing all cost of materials and labour chrges including the cost of fixing Mortise lock and all accessories.</p> <p>Melamine polish work: Melamine polishing on wood work with two coats after preparing base rubbing and cleaning emery paper, filling holes and finishing the surface with sealer and melamine sealer two coats including all cost and labour charges etc. all complete as per the directions of Engineer-in-charge. Works such as filling holes, finishing the surface with sealer and polishing works should be done on site.</p>	141		

3	<p>Providing and fixing Good quality Teak wood doors in size 90cm x 220 cm in single leaf with the following specification.</p> <p>Teak wood door frame: Door frame of size 10.20 cm x 6.40cm, planed, framed and fixed in position with minimum 9 nos Hilti door frame anchor HRD- C 10x120.</p> <p>Teak wood shutter : Shutter frames of size 15cm x 32 mm, Central rail fo size 15cm x 32 mm and 20 mm thick teak wooden planks for panels and finishing neatly as per design. 5 nos of 125x75x3mm stainless steel 304 Hinges (Godrej/Dorma) with necessary size ss screws , required SS screws, 2 nos 200 mm SS Tower bolts of size 12 mm dia with necessary size ss screws, peephole, good quality door bush and door stoper etc. Including Melamine polish work with lacquer finishing all cost of materials and labour chrges including the cost of fixing Mortise lock and all accessories.</p> <p>Melamine polish work: Melamine polishing on wood work with two coats after preparing base rubbing and cleaning emery paper, filling holes and finishing the surface with sealer and melamine sealer two coats including all cost and labour charges etc. all complete as per the directions of Engineer-in-charge. Works such as filling holes, finishing the surface with sealer and polishing works should be done on site.</p>	21		
4	<p>Providing and fixing Good quality Teak wood doors in size 80cm x 220 cm in single leaf with the following specification.</p> <p>Teak wood door frame: Door frame of size 10.20 cm x 6.40cm, planed, framed and fixed in position with minimum 9 nos Hilti door frame anchor HRD- C 10x120.</p> <p>Teak wood shutter : Shutter frames of size 15cm x 32 mm, Central rail fo size 15cm x 32 mm and 20 mm thick teak wooden planks for panels and finishing neatly as per design. 5 nos of 125x75x3mm stainless steel 304 Hinges (Godrej/Dorma) with necessary size ss screws , required SS screws, 2 nos 200 mm SS Tower bolts of size 12 mm dia with necessary size ss screws, peephole, good quality door bush and door stoper etc. Including Melamine polish work with lacquer finishing all cost of materials and labour chrges including the cost of fixing Mortise lock and all accessories.</p> <p>Melamine polish work: Melamine polishing on wood work with two coats after preparing base rubbing and cleaning emery paper, filling holes and finishing the surface with sealer and melamine sealer two coats including all cost and labour charges etc.all complete as per the directions of Engineer-in-charge. Works such as filling holes, finishing the surface with sealer and polishing works should be done on site.</p>	2		

5	<p>Providing and fixing Good quality Teak wood doors in size 150cm x 220 cm (40cmx220cm + 110cmx220cm) in double leaf with the following specification.</p> <p>Teak wood door frame: Door frame of size 11.5 cm x 6.40cm, planed, framed and fixed in position with minimum 11 nos Hilti door frame anchor HRD- C 10x120.</p> <p>Teak wood shutter : Shutter frames of size 15cm x 32 mm, Central rail fo size 15cm x 32 mm and 20 mm thick teak wooden planks for panels and finishing neatly as per design. 10 nos of 125x75x3mm stainless steel 304 Hinges (Godrej/Dorma) with necessary size ss screws , required SS screws, 4 nos 200 mm SS Tower bolts of size 12 mm dia with necessary size ss screws, peephole, good quality door bush 2 nos and door stoper 2 nos etc. Including Melamine polish work with lacquer finishing all cost of materials and labour chrges including the cost of fixing Mortise lock and all accessories.</p>	2		
6	<p>Providing and fixing Good quality Teak wood doors in size 180cm x 220 cm (90cmx220cm x 2 nos) in double leaf with the following specification.</p> <p>Teak wood door frame: Door frame of size 11.5 cm x 6.40cm, planed, framed and fixed in position with minimum 11nos Hilti door frame anchor HRD- C 10x120.</p> <p>Teak wood shutter : Shutter frames of size 15cm x 32 mm, Central rail fo size 15cm x 32 mm and 20 mm thick teak wooden planks for panels, 6mm thick vision panel of size 55cm x 30cm size and finishing neatly as per design. 10 nos of 125x75x3mm stainless steel 304 Hinges (Godrej/Dorma) with necessary size ss screws , required SS screws, 4 nos 200 mm SS Tower bolts of size 12 mm dia with necessary size ss screws, peephole, good quality door bush 2 nos and door stoper 2nos etc. Including Melamine polish work with lacquer finishing all cost of materials and labour chrges including the cost of fixing Mortise lock and all accessories.</p> <p>Melamine polish work: Melamine polishing on wood work with two coats after preparing base rubbing and cleaning emery paper, filling holes and finishing the surface with sealer and melamine sealer two coats including all cost and labour charges etc. all complete as per the directions of Engineer-in-charge. Works such as filling holes, finishing the surface with sealer and polishing works should be done on site.</p>	1		
Grand Total Including GST				